


AMENDMENT OF THE CLAIMS:

1. (Currently amended) A compound of formula (I):



wherein:

R¹ ~~represents~~ is substituted or unsubstituted aryl;

X ~~represents~~ is -O- or a bond;

Y ~~represents~~ is -(CR_{na}R_{nb})_n-;

R_{na} and R_{nb} are each independently hydrogen or C₁₋₆alkyl;

n is an integer from 1 to 5;

R² ~~represents~~ is unsubstituted or substituted aryl or unsubstituted or substituted heteroaryl;

R³ ~~represents~~ is hydrogen or C₁₋₆alkyl;

R¹⁰ ~~represents~~ is hydrogen or C₁₋₆alkyl;

and salts and solvates thereof;

with the proviso that the following compounds are excluded;

2-(4-chlorophenyl)-N-{{[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}acetamide;

N-{{[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-phenylacetamide;

N-{{[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-phenoxyacetamide;

N-{{[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-(4-methoxyphenyl)acetamide;

2-(3-Chlorophenyl)-N-{{[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}acetamide;

N-{{[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-[4-(methylthio)-phenyl]acetamide;

N-{{[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-[4-(dimethylamino)-phenyl]acetamide compound with formic acid (1:1);

N-{{[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-{4-[(dimethylamino)-sulfonyl]phenyl}acetamide compound with formic acid (1:1);

N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl}-2-[4-(methylsulfonyl)-phenyl]acetamide compound with formic acid (1:1)

N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl}-2-(3-fluorophenyl)acetamide;

2-[3,5-bis(trifluoromethyl)phenyl]-N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}-methyl}acetamide;

2-(2-chlorophenyl)-N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl}acetamide;

N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl}-2-(4-fluoro-2-methylphenyl)-acetamide;

N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl}-2-(3,4-difluorophenyl)-acetamide;

4-[2-({4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl)amino]-2-oxoethyl]-benzamide;

N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl}-2-[4-(trifluoromethyl)-phenyl]acetamide;

N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl}-2-(4-methylphenyl)acetamide;

N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl}-2-(2,4-dichlorophenyl)-acetamide;

N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl}-2-(4-fluorophenyl)acetamide;

N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl}-2-(3,4-dichlorophenyl)-acetamide;

N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl}-2-(2,5-dichlorophenyl)-acetamide;

N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl}-2-(2,6-dichlorophenyl)-acetamide;

2-(4-chlorophenyl)-N-{{4-(2,3-dichlorobenzyl)morpholin-2-yl}methyl}-acetamide trifluoroacetate;

2-[3-(acetylamino)phenyl]-N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl}-acetamide;

2-(4-acetylphenyl)-N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl}acetamide trifluoroacetate;

2-(4-acetylphenyl)-N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl}acetamide;

N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl}-2-(4-isobutyrylphenyl)acetamide trifluoroacetate;

methyl 4-[2-({4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl)amino]-2-oxoethyl]-

-benzoate trifluoroacetate;
methyl 4-[2-({[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl} amino)-2-oxoethyl]-
-benzoate;
2-(4-cyanophenyl)-N-{[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}acetamide
trifluoroacetate;
2-(4-cyanophenyl)-N-{[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}acetamide;
2-(4-chlorophenyl)-N-{[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}propanamide;
N-{[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-(3-fluoro-4-hydroxyphenyl)-
-acetamide trifluoroacetate;
N-{[(2R)-4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-[4-(methylsulfonyl)-
-phenyl]acetamide;
N-{[(2S)-4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-[4-(methylsulfonyl)-
phenyl]acetamide;
N-{[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-{4-[(4-methylpiperazin-
-1-yl)carbonyl]phenyl}acetamide;
4-[2-({[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl} amino)-2-oxoethyl]-N-
-[2-(dimethylamino)ethyl]benzamide;
4-[2-({[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl} amino)-2-oxoethyl]-
-N,N-dimethylbenzamide;
4-[2-({[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl} amino)-2-oxoethyl]-N-
-ethylbenzamide;
4-[2-({[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl} amino)-2-oxoethyl]-N-
-(2-hydroxyethyl)benzamide;
N-{[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-[4-(morpholin-4-yl-
-carbonyl)phenyl]acetamide;
N-{[(2S)-4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-{3-[(dimethylamino)-
-sulfonyl]phenyl}acetamide;
N-{[(2R)-4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-{4-[(dimethylamino)-
-sulfonyl]phenyl}acetamide;
N-{[(2S)-4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-{4-[(dimethylamino)-
-sulfonyl]phenyl}acetamide;
4-[2-({[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl} amino)-2-oxoethyl]-N-
-methylbenzamide;
4-[2-({[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl} amino)-2-oxoethyl]-N-

-isopropylbenzamide;

N-cyclopropyl-4-[2-({[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl} amino)-2-oxoethyl]benzamide;

4-[2-({[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl} amino)-2-oxoethyl]-N-(2-methoxyethyl)benzamide;

N-{[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-(4-nitrophenyl)acetamide;

N-{[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-(3-nitrophenyl)acetamide;

methyl 3-[2-({[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl} amino)-2-oxoethyl]-benzoate;

2-[3-(acetylamino)phenyl]-N-{[4-(3-fluorobenzyl)morpholin-2-yl]methyl}-acetamide;

N-{[4-(3-fluorobenzyl)morpholin-2-yl]methyl}-2-{4-[(methylsulfonyl)-amino]phenyl}acetamide;

2-[3-(acetylamino)phenyl]-N-{[4-(3,4-difluorobenzyl)morpholin-2-yl]methyl}-acetamide;

N-{[4-(3,4-difluorobenzyl)morpholin-2-yl]methyl}-2-{4-[(methylsulfonyl)-amino]phenyl}acetamide;

2-[4-(acetylamino)phenyl]-N-{[4-(3,4-difluorobenzyl)morpholin-2-yl]-methyl}acetamide;

N-{[4-(3,4-difluorobenzyl)morpholin-2-yl]methyl}-2-{3-[(methylsulfonyl)-amino]phenyl}acetamide;

N-{[4-(3,4-difluorobenzyl)morpholin-2-yl]methyl}-2-[3-(methylsulfonyl)-phenyl]acetamide;

N-{[4-(3-chlorobenzyl)morpholin-2-yl]methyl}-2-[4-(methylsulfonyl)-phenyl]acetamide;

N-{[4-(3-chlorobenzyl)morpholin-2-yl]methyl}-2-[3-(methylsulfonyl)-phenyl]acetamide;

2-[3-(acetylamino)phenyl]-N-{[4-(4-fluorobenzyl)morpholin-2-yl]methyl}acetamide;

N-{[4-(4-fluorobenzyl)morpholin-2-yl]methyl}-2-{4-[(methylsulfonyl)amino]-phenyl}acetamide;

2-[4-(acetylamino)phenyl]-N-{[4-(4-fluorobenzyl)morpholin-2-yl]methyl}acetamide;

N-{[4-(2,3-dichlorobenzyl)morpholin-2-yl]methyl}-2-[4-(methylsulfonyl)-phenyl]acetamide;

2-[3-(acetylamino)phenyl]-N-{[4-(2,3-dichlorobenzyl)morpholin-2-yl]methyl}-

-acetamide;

N- {[4-(2,3-dichlorobenzyl)morpholin-2-yl]methyl}-2-{4-[(methylsulfonyl)-
-amino]phenyl}acetamide;

N- {[4-(2,3-dichlorobenzyl)morpholin-2-yl]methyl}-2-(4-{[(methylamino)-
-carbonyl]amino}phenyl)acetamide;

N-({4-[(5-chlorothien-2-yl)methyl]morpholin-2-yl}methyl)-2-[4-(methylsulfonyl)-
-phenyl]acetamide;

2-[3-(acetylamino)phenyl]-N-({4-[(5-chlorothien-2-yl)methyl]morpholin-2-
-yl}methyl)acetamide;

N-({4-[(5-chlorothien-2-yl)methyl]morpholin-2-yl}methyl)-2-{4-[(methylsulfonyl)-
-amino]phenyl}acetamide;

N-({4-[(5-chlorothien-2-yl)methyl]morpholin-2-yl}methyl)-2-{3-[(methylsulfonyl)-
-amino]phenyl}acetamide;

2-[3-(acetylamino)phenyl]-N-{[4-(3-chlorobenzyl)morpholin-2-yl]methyl}-
-acetamide;

N- {[4-(3-chlorobenzyl)morpholin-2-yl]methyl}-2-{4-[(methylsulfonyl)-
-amino]phenyl}acetamide;

2-[4-(acetylamino)phenyl]-N-{[4-(3-chlorobenzyl)morpholin-2-yl]methyl}-
-acetamide;

N- {[4-(3-chlorobenzyl)morpholin-2-yl]methyl}-2-(4-{[(methylamino)carbonyl]-
-amino}phenyl)acetamide;

2-[4-(acetylamino)phenyl]-N-{[4-(2,3-dichlorobenzyl)morpholin-2-yl]-
-methyl}acetamide;

N- {[4-(2,3-dichlorobenzyl)morpholin-2-yl]methyl}-2-[3-(methylsulfonyl)-
-phenyl]acetamide;

2-[4-(aminosulfonyl)phenyl]-N-{[4-(3,4-dichlorobenzyl)morpholin-2-
-yl]methyl}acetamide;

2-[2-(acetylamino)phenyl]-N-{[4-(3,4-dichlorobenzyl)morpholin-2-
-yl]methyl}acetamide;

2-(3-cyanophenyl)-N- {[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}acetamide;

N- {[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-(2-fluorophenyl)acetamide;

N- {[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-(2,3-difluorophenyl)-
-acetamide;

N- {[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-(2,4-difluorophenyl)-

-acetamide;

N- {[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-(2,5-difluorophenyl)-
-acetamide;

N- {[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-(2,6-difluorophenyl)-
-acetamide;

N-cyclopropyl-3-[2-({[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl} amino)-2-
-oxoethyl]benzamide;

3-[2-({[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl} amino)-2-oxoethyl]-N-(2-
-methoxyethyl)benzamide;

3-[2-({[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl} amino)-2-oxoethyl]-N-
-ethylbenzamide;

3-[2-({[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl} amino)-2-oxoethyl]-N,N-
dimethylbenzamide;

3-[2-({[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl} amino)-2-oxoethyl]-N-[2-
(dimethylamino)ethyl]benzamide;

N- {[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-{3-[(4-methylpiperazin-1-
-yl)carbonyl]phenyl} acetamide;

2-(3-aminophenyl)-N- {[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl} acetamide;

2-(4-aminophenyl)-N- {[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl} acetamide;

2-[4-(acetylamino)phenyl]-N- {[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-
-acetamide;

N- {4-[2-({[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl} amino)-2-oxoethyl]-
-phenyl} 2-methylpropanamide;

N- {3-[2-({[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl} amino)-2-oxoethyl]-
-phenyl} 2-methylpropanamide;

N- {[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-{3-[(methylsulfonyl)-
-amino]phenyl} acetamide;

N- {[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-{4-[(methylsulfonyl)-
-amino]phenyl} acetamide;

N- {3-[2-({[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl} amino)-2-oxoethyl]-
-phenyl}-2-(dimethylamino)acetamide;

2-{4-[bis(methylsulfonyl)amino]phenyl}-N- {[4-(3,4-dichlorobenzyl)morpholin-2-
yl]methyl} acetamide;

N- {[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-[3-(methylsulfonyl)-

-phenyl]acetamide;

N- {[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-[4-(methylsulfonyl)-2-

-nitrophenyl]acetamide;

N- {[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-(2-hydroxyphenyl)acetamide;

N- {[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-{4-[methyl(methylsulfonyl)-

-amino]phenyl} acetamide;

N- {[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-{3-[methyl(methylsulfonyl)-

-amino]phenyl} acetamide;

2-[2-amino-4-(methylsulfonyl)phenyl]-N- {[4-(3,4-dichlorobenzyl)morpholin-2-

-yl]methyl} acetamide;

N- ({(2S)-4-[(5-chlorothien-2-yl)methyl]morpholin-2-yl} methyl)-2-{3-

-[(methylsulfonyl)amino]phenyl} acetamide;

N- ({(2R)-4-[(5-chlorothien-2-yl)methyl]morpholin-2-yl} methyl)-2-{3-

-[(methylsulfonyl)amino]phenyl} acetamide;

N- {[[(2S)-4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-{4-[(methylamino)-

-sulfonyl]phenyl} acetamide;

N- {[[(2S)-4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-{4-[(ethylamino)-

-sulfonyl]phenyl} acetamide;

2-[3-(aminosulfonyl)phenyl]-N- {[[(2S)-4-(3,4-dichlorobenzyl)morpholin-2-

-yl]methyl} acetamide;

2-{3-[(cyclopropylamino)sulfonyl]phenyl}-N- {[[(2S)-4-(3,4-dichlorobenzyl)-

-morpholin-2-yl]methyl} acetamide;

N- {[[(2S)-4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-{3-[(ethylamino)-

-sulfonyl]phenyl} acetamide;

N- {[[(2S)-4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-{3-[(methylamino)-

-sulfonyl]phenyl} acetamide;

N- {[[(2S)-4-(4-fluorobenzyl)morpholin-2-yl]methyl}-2-{4-[(methylsulfonyl)-

-amino]phenyl} acetamide;

N- {[[(2R)-4-(4-fluorobenzyl)morpholin-2-yl]methyl}-2-{4-[(methylsulfonyl)-

-amino]phenyl} acetamide;

2-[4-(aminosulfonyl)phenyl]-N- {[4-(3,4-dichlorobenzyl)morpholin-2-

-yl]methyl} acetamide;

2-{4-[(cyclopropylamino)sulfonyl]phenyl}-N- {[4-(3,4-dichlorobenzyl)morpholin-2-

-yl]methyl} acetamide;

N-cyclopropyl-3-[2-({[(2S)-4-(2,3-dichlorobenzyl)morpholin-2-yl]methyl}amino)-2-oxoethyl]benzamide;
3-{2-({[(2S)-4-[(5-chlorothien-2-yl)methyl]morpholin-2-yl}methyl]amino)-2-oxoethyl}-N-cyclopropylbenzamide;
N-cyclopropyl-3-[2-({[(2S)-4-(4-fluorobenzyl)morpholin-2-yl]methyl}amino)-2-oxoethyl]benzamide;
3-[2-({[(2S)-4-(3-chlorobenzyl)morpholin-2-yl]methyl}amino)-2-oxoethyl]-N-cyclopropylbenzamide;
N-cyclopropyl-3-[2-({[(2S)-4-(3,4-difluorobenzyl)morpholin-2-yl]methyl}amino)-2-oxoethyl]benzamide, and;
N-cyclopropyl-3-[2-({[(2S)-4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}amino)-2-oxoethyl]benzamide.

2. (Original) A compound of formula (I) according to claim 1 wherein R¹ is unsubstituted or substituted phenyl.

3. (Currently amended) A compound of formula (I) according to claim 1 or ~~claim 2~~ wherein R¹ is unsubstituted phenyl or phenyl substituted with 4-(methanesulphonyl), 4-(methylcarbonylamino), 2,4,6-(trifluoro), 3-(methylthio), 2,5-(difluoro), 4-(pyrazol-1-yl), 3-(methanesulphonyl), 3-(2-methyl-1,3,4-oxadiazol-5-yl), 3-(1,3,4-oxadiazol-5-yl), 3-(2-methyl-1,3,4-triazol-5-yl), 4-(ethylcarbonylamino), 4-(methylaminocarbonyl), 4-(carboxy), 3-(*iso*-propanesulphonylamino), 3-(cyclopropanesulphonylamino), 3-(ethanesulphonylamino), 4-(methylaminocarbonylamino), 4-methanesulphonyl-2-methanesulphonylamino), 4-(ethylaminocarbonyl), 3-(N,N-dimethylaminosulphonyl), 4-(methanesulphonylaminomethyl), 3-(methanesulphonylamino), 3-(cyclopropylcarbonyl), 3-(methylcarbonyl), 3-(methoxycarbonyl), 3-(aminosulphonyl), 4-(methanesulphonylamino), 3-(methylaminocarbonyl), 3-(dimethylaminocarbonyl), 3-(*iso*-propylaminocarbonyl), 3-(*iso*-propylmethylaminocarbonyl), 4-(fluoro), 3-(amino), 4-(methylcarbonylamino), 3-(cyclopropylaminocarbonyl), 3-(methylcarbonylamino), 3-(ethylaminocarbonyl), 4-(piperidin-1-ylcarbonyl), 3-(ethoxycarbonyl), 4-cyano, 4-(aminosulphonyl), 4-(amido), 4-(chloro), or 3-(carboxy).

4. (Currently amended) A compound of formula (I) according to ~~any one of the preceding claims~~ claim 1 wherein R_{na} and R_{nb} are both hydrogen.

5. (Currently amended) A compound of formula (I) according to ~~any one of the preceding claims~~ claim 1 wherein n is 1, 2, or 3.

6. (Currently amended) A compound of formula (I) according to ~~any one of the preceding claims~~ claim 1 wherein R^{10} is hydrogen or methyl.

7. (Currently amended) A compound of formula (I) according to ~~any one of the preceding claims~~ claim 1 wherein R^{10} is hydrogen.

8. (Currently amended) A compound of formula (I) according to ~~any one of the preceding claims~~ claim 1 wherein R^3 is hydrogen.



9. (Currently amended) A compound of formula (I) according to ~~any one of the preceding claims~~ claim 1 wherein R^2 is unsubstituted or substituted phenyl, unsubstituted or substituted thiophenyl, or unsubstituted or substituted pyridinyl.

10. (Currently amended) A compound of formula (I) according to ~~any one of the preceding claims~~ claim 1 wherein R^2 is phenyl substituted with chloro or fluoro, thiophenyl substituted with chloro, or pyridinyl.

11. (Currently amended) A compound of formula (I) according to ~~any one of the preceding claims~~ claim 1 wherein R^2 is 3-fluorophenyl, 4-fluorophenyl, 2,5-dichlorophenyl, 3-chlorophenyl, 3-(trifluoromethyl)phenyl, 3-chlorophenyl, 3,4-dichlorophenyl, 3,4-difluorophenyl, 3-chloro-4-fluoro-phenyl, 2-chlorothiophen-5-yl, or pyridin-3-yl.

12. – 15. (Cancelled)

16. (Original) A process for the preparation of a compound of formula (I) as defined in claim 1 which process comprises the reaction of a compound of formula (II) with a compound of formula (III);




wherein;

R^1 , X, Y, R^3 , R^{10} , and R^2 are as hereinbefore defined for formula (I) in claim 1, in the presence of a peptide coupling agent, and, if necessary, an activating agent and thereafter, if required, carrying out one or more of the following optional steps:

- (i) converting a compound of formula (I) to a further compound of formula (I);
- (ii) removing any necessary protecting group;
- (iii) preparing a salt or solvate of the compound so formed.


17. (Original) A process for the preparation of a compound of formula (I) which process comprises reaction of a compound of formula (XI) with a compound of formula (III);



wherein L^2 is a leaving group, and R^1 , X, and Y are as hereinbefore defined for formula (I) in claim 1, and thereafter, if required, carrying out one or more of the following optional steps:


- (i) converting a compound of formula (I) to a further compound of formula (I);
- (ii) removing any necessary protecting group;
- (iii) preparing a salt or solvate of the compound so formed.

18. (Original) A compound of formula (IIIBE)



wherein R^2 and R^{10} are as defined for formula (I) in claim 1 and A is a protected amino group.

19. (Original) A compound of formula (IIIBR)



wherein R^2 and R^{10} are as defined for formula (I) in claim 1 and A is a protected amino group.

20. (Original) A compound of formula (I) as defined in claim 1 or a physiologically acceptable salt or solvate thereof for use as an active therapeutic agent.

21. (Currently amended) A compound of formula (I) as defined in claim 1, or a physiologically acceptable salt or solvate thereof, for use in the treatment of inflammatory conditions, ~~e.g. asthma or rhinitis.~~

22. (Currently amended) A method of manufacture of a medicament for the treatment of inflammatory conditions comprising incorporating ~~Use of a compound of formula (I) as defined in claim 1 or a physiologically acceptable salt or solvate thereof for the manufacture of a~~ in said medicament for the treatment of inflammatory ~~conditions, eg. asthma or rhinitis.~~

23. (Currently amended) A method for the treatment of a human or animal subject suffering from or susceptible to an inflammatory condition ~~e.g. asthma or~~

~~rhinitis~~, which method comprises administering an effective amount of a compound of formula (I) as defined in claim 1 or a physiologically acceptable salt or solvate thereof.

24. (Original) A pharmaceutical composition comprising a compound of formula (I) as defined in claim 1, or a physiologically acceptable salt or solvate thereof, and optionally one or more physiologically acceptable diluents or carriers.